

Partial Translation of Exhibit 1
JP Application Laid-Open S62-238212
Laying Open Date, October 19, 1987

Partial Translation of Exhibit 1

JP Application Laid-Open S62-238212

Laying Open Date : October 19, 1987 *

Application No. : S61-82495

Application Date : April 10, 1986

Applicant : Shiseido Co.

Title of the Invention: Makeup Cosmetic

Claim:

(1) A makeup cosmetic comprising a silicone resin represented by average formula (A), an emulsifier, a moisturizer, and water.



wherein R represents an alkyl or a phenyl group having 1 to 6 carbons, and n is a value from 1.0 to 1.8.

Specification:

In the present invention, the silicone resin consists of a combination of $SiO_{1/2}$ unit, SiO unit and $SiO_{3/2}$ unit and SiO_2 unit. A combination ratio of the units is so selected that it meets formula (A) $SiO_{(4-n)/2}$, wherein n is a value from 1.0 to 1.8. Preferably, the silicone resin has an average molecular weight from about 1,500 to 20,000.

Comparative Example 3

<u>raw material</u>	<u>wt%</u>
polyethylene wax	7
ceresin wax	4
candelilla wax	8
glycerol tristearate	39

methylphenyl polysiloxane(1000cs)	40
yellow iron oxide	1
red iron oxide	0.3
No.204 red	0.7
butylhydroxytoluene	dosage
<u>perfume</u>	<u>dosage</u>
total	100

All the components except for the pigments and the perfume were fed in a reactor and melted at 90°C. Then, the pigments and the perfume were added and mixed to be dispersed at 85°C. After degassing under a reduced pressure, the composition was poured in a predetermined container and cooled to be solidified. Thus, a lipstick was prepared.